DEPARTMENT OF PARKS & RECREATION

CITY AND COUNTY OF HONOLULU

1000 Uluohia Street, Suite 309, Kapolei, Hawaii 96707 Phone: (808) 768-3003 • Fax: (808) 768-3053 Website: www.honolulu.gov

PETER B. CARLISLE MAYOR



January 23, 2012

The Honorable Ernest Martin, Chair and Members Honolulu City Council 530 South King Street, Room 202 Honolulu, Hawaii 96813

Dear Chair Martin and Councilmembers:

Subject: Report of Gift Valued in Excess of \$2,500 and Requested Acceptance

We respectfully request the acceptance by the Council on behalf of the City and County of Honolulu of a gift to the City valued in excess of \$2,500 under the provisions of Resolution No. 05-349, CD1, FD1. A proposed resolution accepting the gift is attached for the Council's favorable consideration. The Department of Parks and Recreation has not taken custody of the gift. The recommendation of the Managing Director for acceptance of this gift is evidenced by his signature below.

The gift of a security camera system, equipment and installation, valued at \$4,192.59, from the Palehua Community Association, is to be installed at Palailai Neighborhood Park. Installation of these cameras does not require City Council approval as ROH Section 2-32.3(a)(3) already provides authorization for certain overt video monitoring of public activity from fixed locations in and around public buildings or other facilities for the purposes of the general prevention and deterrence of criminal activity.

Should you have any questions, please call me at 768-3001. Thank you.

Sincerely,

fory B. Cabato
Direct

Director

GBC:bv

Attachments

APPROVED:

Douglas S. Chin Managing Director \bigcirc

GARY B. CABATO

DIRECTOR ALBERT TUFONO DEPUTY DIRECTOR

DEPT. COM.

40



No.	

RESOLUTION

RELATING TO THE ACCEPTANCE OF A GIFT TO THE CITY FROM THE PALEHUA COMMUNITY ASSOCIATION

WHEREAS, Section 13-113 of the Revised Charter of the City and County of Honolulu provides for the acceptance of gifts to the City by the Council of the City and County of Honolulu; and

WHEREAS, Resolution No. 05-349, CD1, FD1, establishes a policy of the Council for the solicitation and acceptance of gifts donated to the City executive agencies; and

WHEREAS, the policy provides for acceptance of the gift by affirmative action by the Council; and

WHEREAS, through a letter, the Director of the Department of Parks and Recreation, has submitted a request for acceptance of a gift to the Council and approved by the Managing Director of a gift valued at \$4,192.59 for a security camera system, equipment and installation from the Palehua Community Association for Palailai Neighborhood Park; and,

WHEREAS, the description and value of the gift is set forth in the Declaration of Gift (Exhibit A), attached hereto and incorporated herein; now, therefore,

WHEREAS, information about the proposal/estimate of a security camera system, equipment and installation is attached hereto as (Exhibit B) and by reference made a part of this resolution; now, therefore,

BE IT RESOLVED by the Council of the City and County of Honolulu that this body accept the gift valued at \$4,192.59 from the Palehua Community Association that is more fully described in the above-mentioned letter from the Director of the Department of Parks and Recreation; and

DPR2011 PALEHUACOMMASSOCIATION-PALAILAI,R11



No.	

RESOLUTION

BE IT FINALLY RESOLVED that the Clerk is directed to transmit a certified copy of this Resolution to the Director of the Department of Parks and Recreation, 1000 Uluohia Street, Suite 309, Kapolei, Hawaii 96707, and Mr. Lyndon Williams, President and Board of Director, Palehua Community Association, 579 Farrington Highway, Suite 206, Kapolei, Hawaii 96707.

	INTRODUCED BY:
DATE OF INTRODUCTION:	
BATTLE OF INTEREST OF THE ACT	
Honolulu, Hawaii	Councilmembers

City and County of Honolulu

DECI	LARATION OF GIFT						
NAME OF DONOR	Palehua Communit	ance.					
DONOR'S ADDRESS	579 Forcinton thur St	-206 Keplei 11-96					
DONOR'S TELEPHONE	674-1066						
STATEMENT OF OWNERSHIP AND/OR TERMS OF CONVEYANCE							
Honolulu. To Carry out my purpo	nd desire to give the property to the Ciose, I do hereby absolutely and without the property to the City and County of the City and City a	it condition or					
DESCRIPTIO	ON OF GIFT	VALUE					
Complete and accurate description	of gift in detail. Enclose a	Actual or Estimated					
Security Comera Su please see attald egipment list.	pten Led proposal é	4,19257					
for Mahahila Pa on Palahia St.	lailai Park.						
Signature:	Date: /2/4/v	7					
Print Name: / Je Al Samp.	Tidos II a Pas	sidout.					
farisa ingin	January Presonent	661 BOD					



Proposal / Estimate

2850 Paa Street Suite 110 Honolulu, HI 96819

Date:

10/2/09

Makakilo Palailai Park

Palahia Street Makakilo, Hawaii 96707 System:

Security Camera System

Contact:

Jeff Sampson

Phone: Work: 489-5252

SCOPE OF THE PROJECT:

Install new Security Camera System at Makakilo Palailai Park.

- 1. Install 1 new Digital Video Recorder for recording 4 cameras and storing 500 Gigabytes of video images on built-in hard drive. The oldest day will be over written when the hard drive has been full, thus preserving the last 1-2 weeks of video activity. Digital Video Recorder is "Internet Ready" with jacks for plugging into DSL or Oceanic high speed modem.
- 2. Install 4 Indoor High Resolution Infrared Dome Color Cameras, 550 TV Lines, Vandal / Weather Resistant, Auto-iris adjust to light automatically, Varifocal 2.9 mm 10 mm lens and 100' Infrared veiwing..
- 3. Install new 14" Color Flat Screen Monitor.

Price includes equipment, labor, client training and "One Year Parts and Labor Warranty"

INSTALLATION NOTES

Contact Jeff Sampson for installation instructions.

EQUIPMENT DESCRIPTION	MANUFACTURER	PART NUMBER	QTY	UNIT	TOTAL
Digital Video Recorder - 4 camera capacity, 500 gigabytes of recording memory, UPS / Power Surge Protection.	Vitek	VT-E4/500	1	721.00	721.00
High Resolution Color Dome Camera, Outdoor, 550 TV Lines, Vandal / Weather Resistant, Auto iris adjust to light automatically, and Varifocal 2.9 mm - 10 mm lens and Infrared.	Vitek	VTD-MVX2910/L35	4	356.00	1,424.00
14" Color Flat Screen Monitor	Vitek	VTM-LCD143	1	329.00	329.00
4 Camera Power Supply	Stealth	YY-PS2440SB	1	195.00	195.00
Electrical Conduit, Wire, Miscellaneous Parts				255.00	255.00
Installation Labor, System Testing, Client Training				1,080.00	1,080.00
One Year Parts and Labor Warranty Estimate valid for 60 days Shipping charges will be invoiced separately		ſſ		Sub Total Sales Tax TOTAL	4,004.00 188.59 \$4,192.59
Estimator: Dennis M. Manago Contractor's License C-20140	Signature:	4		Date:	2/4/09

dennis@securitysystemshawaii.com

Office 521-0092

Cell 753-1106

Fax 591-0867

PTZ Control

USB 2.0

Pre / Post Event Buffer Up to: 5 Seconds Pre-Event / 5 Minutes Post-Event

RS-485

Motion Area Setup Adjustable 12 x 12 Grid

Operation Device Front Panel / IR Remote Control / USB Mouse (Mouse Not Included)

IR Remote Control Included

Power 100~240VAC, 1.0/1.5A, 60/50Hz

Operation Temp. 32° ~ 113° Fahrenheit

Humidity 0% ~ 80%

Dimensions (D x W x H) 14.2" x 15.5" x 2.5"

Weight 7.2lbs. (w/o HDD)

28492 Constellation Road Valencia, CA 91355 | Phone: 888-VITEK-70 / 661-294-8043 | Fax: 661-294-8044 | Sales@vitekcctv.com



Product Search



English (Español Home Products Where to Buy Support Contact Us About Us

Monitors

Cameras

PTZ Cameras & Controls

Digital Recorders

IP Integration

Infrared Illuminators

Video Signal Devices

Packages

Mounts & Housings

Monitor Mounts & Rack Kits

Power Supplies & Connectors

Monitors > LCD > VTM-LCD143



VTM-LCD143

14" Professional LCD Monitor w/ VGA & Looping BNC Composite Inputs

14" LCD Display Panel

VGA, S-Video and Looping BNG Composite

Inputs

Resolution up to 1024 x 768

Suilt-In Speakers

√ESA 75mm Stand≈rd Mounting

Hi-Res Image Email a Friend Spec Sheet Manual

The Vitek VTM-LCD143 14" LCD Monitor offers an Economical, Space-Saving alternative to larger Composite Video LCD Monitors. This Professional LCD offers 1024 x 768 Resolution and Looping Composite Video In/Out. An easily removable Stand and VESA Mounting Capability provide convenience in Wall Mounting Applications.

VTM-LCD143 Specifications:

14" TET Color LCD Panel Type

11.23" x 5.13" (285mm x 214mm) Display Area

is.7 Million Display Colors

Recommended Resolution 1024 × 768 @ 75Hz

300:1 Contrast Ratio 160 cd/m2 Brightness

Viewing Angle Hori: - 80 ~ + 85 / Vert: - 65 + +55 Response Time 25ms (Tr. 8 ms / Tf: 15 ms.) PC Input 15 pin D-Sub (Analog RGB) S-Video, and Component Video Inputs **Power Consumption** Less than 24 Watts.

OSD (On Screen Display Menu) Screen Control

5.29lbs (2.4Kg) Weight

Power Imput AC 90 264 7, 50-60 Hz.

14 18" - 14 18: 5 91" (360mm - 360mm - 50mm) Dimensions

28492 Consiellation Road Talancia CA 11855 | Phony 208- TTEK-707 131 294-8043 Fax 561 294-8044 Salesiĝi, indicity.com



Product Search



English | Español

Home

Products

Where to Buy

Support

Contact Us

About Us

Products

Monitors

Cameras > Domes > IR Mighty Dome

Cameras

PTZ Cameras & Controls

Digital Recorders

IP Integration

Infrared Illuminators

Video Signal Devices

Packages

Mounts & Housings

Lenses

Monitor Mounts & Rack Kits

Power Supplies & Connectors



IR Mighty Dome

Vandal Proof Dome Camera Series with 35 IR LED Illumination

35 IR LED's with 90' Range

480 and 550 TV Line versions

Flush or Surface Mount

UTP Interface, IP Integration, and Heater / Blower

Options Available

Dual Voltage 12VDC & 24VAC

Infinity Ball Mount for Any Viewing Angle

Fully Gasketed IP68 Rated Weatherproof Design

Lens options include: 2.9-10mm & 9-22mm

Available in off white or black color

Available Configurations include: VTD-MVH2910/L35 / MVH922/L35: Vandal Proof Color Dome Camera w/2.9-10mm or 9-22mm Varifocal Lens, 480TVL & 35 IR LED's

VTD-MVX2910/L35 / MVX922/L35: Vandal Proof Color Dome Camera w/2.9-10min or 9-22mm Varifocal Lens. 550TVL & 35 IR LED's

spec Sheet Manual Hi-Res Image Email a Friend

IR Mighty Dome Specifications:

lmage Sensor

1/3 Sony New Structure Super HAD CCD

Gamma

0.45

Sync System

Internal

Scanning system

2:1 Interlace

Lens Options

2.9-10mm / 9-22mm

Horizontal Resolution

480 TV Lines / 550 TV Lines

Mln. Illumination

Day/Night: 0.02Lux (F1.2@40IPE) / Standard: 0.2Lux (F1.2@40IRE)

S/N Ratio

More than 50dB AGC OFF at 50IRE

Video Output

1.0Vp-p composite, 75 Ohms

Effective Pixels

768(H) < 494(V)

1/60 ~ 1/100,000

Electronic Shutter

2000~8000 F Automatic Tracking

White Balance

IR LEDs

35 LEDs with up to 90' Range

Weatherproof

Operating Temperature

14F ~ 122F (-10C +60C)

Operating Humidity

Within 85% RH

Power Consumption
Power Requirement

3 Watts (IR LEDs Off) / 6 Watts (IR LEDs On) 12VDC/24VAC Dual Voltage (1000 mA Minimum)

Dimensions (H x Dia.)

4.45" x 5.71" (113mm x 145mm)

28492 Constellation Road Valencia, CA 91355 | Phone: 888-VITEK-70 / 661-294-8043 | Fax: 661-294-8044 | Sales@vitekcciv.com